Primary lithium battery system BA 5368

12 V Primary lithium manganese dioxide (Li-MnO₂) battery

The battery consists of 4 LM 22150 cells connected in series arranged in a cylindrical molded plastic case with recessed flat terminals at either end.

Key Features

- Built in 1A fuse
- Plastic housing
- Flat recessed contact terminals
- No passivation delay effect
- Low self-discharge rate
- Non-restricted to Class 9

Typical applications


- AN/PRC-90
- AN/PRC-90-2
- Rescue devices





Electrical characteristics	
Nominal OCV	13 V
Operating voltage	11.4 V
Cut-off voltage	9 V
Typical capacity at 40 mA to 9 V cut-off	
at 70°F (21°C)	830 mA
at -4°F (-20°C)	675 mA
Operating temperature	-29°C to +71°C / -20°F to +160°F
Storage	
Recommended max	+35°C/+95°F
Possible	-40°C to +71°C / -40°F to +160°F
Physical characteristics	Metric Imperial
Maximum weight	145 g 5.1 oz
Maximum weight Weight of Li metal content	145 g 5.1 oz 1.5 g -
Weight of Li metal content	
Weight of Li metal content Diameter (max)	1.5 g -
Weight of Li metal content Diameter (max) body	1.5 g - 24.6 mm 0.97 in
Weight of Li metal content Diameter (max) body collar	1.5 g - 24.6 mm 0.97 in 27.7 mm 1.09 in
Weight of Li metal content Diameter (max) body collar Length (max)	1.5 g - 24.6 mm 0.97 in 27.7 mm 1.09 in 78.0 mm 3.05 in
Weight of Li metal content Diameter (max) body collar Length (max) Battery case	1.5 g - 24.6 mm 0.97 in 27.7 mm 1.09 in 78.0 mm 3.05 in
Weight of Li metal content Diameter (max) body collar Length (max) Battery case References	1.5 g - 24.6 mm 0.97 in 27.7 mm 1.09 in 78.0 mm 3.05 in




BA 5368











Saft

12, rue Sadi Carnot 93170 Bagnolet France Tel.: +33 (0)1 49 93 19 18 Fax: +33 (0)1 49 93 19 69 www.saftbatteries.com

Saft

313 Crescent St. Valdese, NC 28690 - USA Tel.: +1 (828) 874 4111 Fax: +1 (828) 874 3981

www.saftbatteries.com

Doc N° 21826-2-0512 Edition: May 2012 Information in this document is subject to change without notice and becomes contractual only after written confirmation by Saft. Published by the Communications Department Photo credit: Saft