


Analog 5-wire PET-On-Glass Touch Screen Specification

1. Mechanical Dimensions and Construction

- 1.1 General: Analog Resistive touch screen is laminated by ITO PET to ITO glass.
- 1.2 Construction:

Item	Description	Material	Remarks
	ITO PET	0.188mm ITO PET	Antiglare coating
1	(Top layer)	Film	Surface hardness: 3H
	New designed printing		Resistance:300~600Ω/□
	ITO Patterned Glass (Bottom layer)	2.8 mm ITO Glass	Resistance:300~900Ω/□
2	New designed printing		
3	Tail Base	Kapton	Separated Tail
4	Tail cover lay	Kapton	
5	Connector	AMP compatible	2,54mm
6	Top layer circuit	Silver ink	
7	Bottom layer circuit	Silver ink	
8	Layer to layer contacted	Silver ink	
9	Dot spacer	UV Cure ink	
10	Isolation Layer	Isolation Adhesive	
11	Glue	UV Glue	
12	Preserve pet	PET Film	

Touch screen side view:



						Chai	nges that contribute to	to techn	ical im	nprovement are	e subject to alternations		
1			1	2006	Datum	Name							
				Bearb.	18.08.	Maurer	TOUCHSCREEN						
			1	Gepr.	18.08	Maurer	19,1", 5-Wire						
			1	Vert.			AMT-02511-A1						
				ED\	/-Datas	heet	SPECIFICATIONS OF ANALOG RESISTIVE						
			1	1			PET-ON-GLASS TOUCH SCREEN						
			1	don't c	change ma	anually	Manufactured by Apex Material Technology Corp.						
				ÿ		HURT	EP						
				-		IIC COMPO	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Н	10	070.047	7		
Zu	Änd.	Datum	Name	-	D 7934	46 Endina	en	nac	ne 1	1 of 4	Index: -		



1.3 Input Method and Activation Force

Input Method	Average Activation Force
16mm dia. Silicon "finger"	Less than 1.00 N

2. Typical Optical Characteristics

2.1 Visible Light Transmission: > 80% 2.2 Haze: < 13%

3. Electrical Specifications

3.1 Operating Voltage: 5.5V or less
 3.2 Contact current: 20mA (maximum)
 3.3 Circuit close resistance: 20~300Ω

3.4 Circuit open resistance: $> 10M\Omega$ at 25VDC


3.5 Contact bounce: < 15ms

3.6 Linearity Specifications: The linearity specifications are based on Hampshire or

PenMount touch screen controllers and drivers to define.

3.6.1 Inner Active Area: 10 mm inside of X and Y active area dimensions.

Perimeter of Active Area: The area 10 mm inside of X and Y active area dimensions.




						Chai	nges that contribute to	o techn	ical in	nproven	nent are	subject to alternations		
				2006	Datum	Name								
				Bearb.	18.08.	Maurer	TOUCHSCREEN							
				Gepr.	18.08	Maurer	rer 19,1", 5-Wire AMT-02511-A1							
				Vert.										
				ED\	/-Datas	sheet								
				don't	change m	anually	Manufactur	ed by	Apex	Mater	ial Tech	nnology Corp.		
						HURT		Н	10	070.	047	7		
Zu	Änd.	Datum	Name	D 79346 Endingen page 2 of 4 Index: -										



3.6.2 Calculate Linearity

$$\%Linearity = \frac{\sqrt{\Delta X^2 + \Delta Y^2}}{Active Area Diagonal} *100$$



3.6.3 Linearity: Inner Active Area: <1.0%
Perimeter of Active Area: <1,5%

3.7 Electrostatic Discharge Protection : (per EN 61000-4-2) The touch screen withstands of 15KV air discharge and 8KV contact discharge.

4. Environment Specification

4.1 Operating Temperature $-10^{\circ} \text{ C} \sim +60^{\circ} \text{ C}$ Humidity less than 90% RH, no dew condensation

4.2 Storage Temperature $-40^{\circ} \text{ C} \sim +80^{\circ} \text{ C}$, at Ambient Humidity

5. Reliability Test

Änd.

Datum

5.1 Exposure to high temperature

Touch panel is put into a test machine at the condition of 80°C for 504 hours.

Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3
- Circuit open resistance: as Sec. 3.4
- Contact bounce: as Sec. 3.5
- Linearity test: as Sec. 3.6

5.2 Exposure to low temperature

Touch panel is put into a test machine at the condition of –40°C for 504 hours. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3
- Circuit open resistance: as Sec. 3.4
- Contact bounce: as Sec. 3.5

Name

- Linearity test: as Sec. 3.6

				HURT		Н	1070.0477				
		Vert. AMT-02511-A1 SPECIFICATIONS OF ANALOG REDV-Datasheet PET-ON-GLASS TOUCH SCRE don't change manually Manufactured by Apex Material Technolog			Apex Material Technology Corp.						
]	_ 3.10.0		PET-C	N-GI	LASS TOUCH SCREEN				
		EDV-Datasheet SPECIFICATIONS OF ANALOG RESI									
		Vert.			AMT-02511-A1						
		Gepr.	18.08	Maurer	TOUCHSCREEN 19,1", 5-Wire						
		Bearb.	18.08.	Maurer							
		2006	Datum	Name							
				Chai	nges that contribute to	o techni	ical improvement are subject to alternations				

D 79346 Endingen

page 3 of 4

Index: -



5.3 Exposure to constant temperature and humidity

Touch panel is put into a test machine at the condition of 60°C, 90%RH for 504 hours. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

5.4 Thermal Shock

Touch panel is put into a test machine at the condition of –40°C for 30 minutes, and then 80°C for 30 minutes. The process is repeated by 10 cycles. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

6. Durability test:

6.1 Finger touches

Touch panel is hit 36 millions times with a silicone rubber of R8 finger, hitting rate is by 250g at 2 times per second. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

Contact bounce: as Sec. 3.5Linearity test: as Sec. 3.6

7. Optical Performance:

tion

Standard.

7.1 Optical inspection method and optical defect standards refer to document. A001-2 Touch Screen Optical Quality

7.2 Outside to Active Area: any optical defected in this area need to be ignored if no effected to touch screen func-

8. Others

8.1 Always store the touch screen in its original shipping container under normal conditions (20~25°C, 65% RH)

						Chai	nges that contribute to	o techni	cal imp	provement	are s	ubject to alternations	
				2006	Datum	Name							
				Bearb.	18.08.	Maurer	IOOONOCKELIA						
				Gepr.	18.08	Maurer							
				Vert.									
				ED\	/-Datas	sheet							
				don't change manually Manufactured by Apex Material Technology 0							nology Corp.		
					12 Table - Apple - 12	HURT	10.000	Н	10	70.04	177	7	
Zu	Änd.	Datum	Name	1	D 793	46 Ending	en	pag	e 4	of 4		Index: -	