


IEC FUSED POWER INLETS "POLY SNAP" (VERTICAL)



BZV01/Z0000/01



CONNECTORS

HOW TO ORDER

BZVxx / xxxxx / xx

Type of Inlet	Filtered or Non Filtered Inlet	Combination of Other Components
01 = PF0011/63 02 = PF0011/28 15 = PF0033/63 16 = PF0033/28	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical For Filtered inlet use 6th to 9th characters from filter ordering code see pages 100-103. E.g. BZV01/A0620/01	01 = S.P. Switch 02 = S.P. Red Neon Switch 03 = Red Neon Indicator 08 = S.P. Green Neon Switch 46 = S.P. High Inrush Switch




NOTE: FOR TECHNICAL DETAILS OF INDIVIDUAL COMPONENTS PLEASE SEE PAGE 46

TEL: 0181 - 594 - 5588



BZV01/Z0000/10




HOW TO ORDER


BZVxx / xxxxx / xx

Type of Inlet	Filtered or Non Filtered Inlet	Combination of Other Components
01 = PF0011/63 02 = PF0011/28 15 = PF0033/63 16 = PF0033/28	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical For Filtered inlet use 6th to 9th characters from filter ordering code see pages 100-103. E.g. BZV01/A0620/10	03 = Red Neon Indicator 10 = D.P. Switch 11 = D.P. Red Neon Switch 12 = D.P. Green Neon Switch 13 = D.P. High Inrush Switch





BZV03/A0120/02




How TO ORDER

BZVxx / xxxxx / xx


Type of Inlet	Filtered or Non Filtered Inlet	Combination of Other Components
03 = PX0575/63 04 = PX0575/28 05 = PX0595/63 06 = PX0595/28 23 = PXS575/63 24 = PXS575/28 25 = PXT575/63 26 = PXT575/28	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical Exxxx = Earth Line Choke For Filtered inlet use 6th to 9th characters from filter ordering code see pages 82,84,90,92,94. E.g. BZV03/A0120/02	01 = S.P. Switch 02 = S.P. Red Neon Switch 03 = Red Neon Indicator 08 = S.P. Green Neon Switch 46 = S.P. High Inrush Switch



Certification No. ...75/1557



BZV04/A0120/04



BZV03, BZV04/****/** A = 62.5 With Filter,
38.0 Without Filter.
BZV05, BZV06/****/** A = 38.0.
BZV23, BZV24/****/** } A = 38.0 Suppressed &
BZV25, BZV26/****/** } Surge Protected.
Panel Thickness. 1.0, 1.5, 2.0, 3.0mm.

HOW TO ORDER


BZVxx / xxxxx / xx

Type of Inlet	Filtered or Non Filtered Inlet	Combination of Other Components	
03 = PX0575/63 04 = PX0575/28 05 = PX0595/63 06 = PX0595/28 23 = PXS575/63 24 = PXS575/28 25 = PXT575/63 26 = PXT575/28	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical Exxxx = Earth Line Choke For Filtered inlet use 6th to 9th characters from filter ordering code see pages 82,84,90,92,94. E.g. BZV04/A0120/04	04 = 2 x FX0359 14 = 1 x VS0001 + 1 x FX0359 37 = 1 x VS0001 + DX0928/110V/RD 38 = 1 x VS0001 + DX0928/110V/GN 39 = 1 x VS0001 + DX0928/250V/RD 40 = 1 x VS0001 + DX0928/250V/GN 41 = 1 x FX0359 + DX0928/110V/RD	42 = 1 x FX0359 + DX0928/110V/GN 43 = 1 x FX0359 + DX0928/250V/Red 44 = 1 x FX0359 + DX0928/250V/GN 45 = 1 x FX0359 + Blanking Plate





BZV03/Z0000/07



HOW TO ORDER

BZVxx / xxxxx / xx

Type of Inlet	Filtered or Non Filtered Inlet	Combination of Other Components	
03 = PX0575/63 04 = PX0575/28 05 = PX0595/63 06 = PX0595/28 23 = PXS575/63 24 = PXS575/28 25 = PXT575/63 26 = PXT575/28	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical Exxxx = Earth Line Choke For Filtered inlet use 6th to 9th characters from filter ordering code see pages 82,84,90,92,94. E.g. BZV03/A0120/07	05 = 2 x FX0359 + D.P. Switch 06 = 2 x FX0359 + D.P. Red Neon Switch 07 = 2 x FX0359 + Red Neon Indicator 09 = 2 x FX0359 + D.P. Green Neon Switch 15 = 1 x VS0001 + 1 x FX0359 + D.P. Switch 16 = 1 x VS0001 + 1 x FX0359 + D.P. Red Neon Switch 17 = 1 x VS0001 + 1 x FX0359 + Red Neon Indicator 18 = 1 x VS0001 + 1 x FX0359 + D.P. Green Neon Switch 19 = 2 x FX0359 + D.P. Red Neon Switch 125V 20 = 2 x FX0359 + D.P. High Inrush Switch 21 = 2 x FX0359 + D.P. High Inrush Green Neon Switch 22 = 2 x FX0359 + D.P. High Inrush Red Neon Switch 25 = 1 x VS0001 + 1 x DX0928/110V/Red + D.P. Switch 26 = 1 x VS0001 + 1 x DX0928/110V/Green + D.P. Switch	27 = 1 x VS0001 + 1 x DX0928/250V/Red + D.P. Switch 28 = 1 x VS0001 + 1 x DX0928/250V/Green + D.P. Switch 29 = 1 x VS0001 + 1 x DX0928/250V/Red + D.P. High Inrush Switch 30 = 1 x VS0001 + 1 x DX0928/250V/Green + D.P. High Inrush Switch 31 = 1 x FX0359 + 1 x DX0928/110V/Red + D.P. Switch 32 = 1 x FX0359 + 1 x DX0928/110V/Green + D.P. Switch 33 = 1 x FX0359 + 1 x DX0928/250V/Red + D.P. Switch 34 = 1 x FX0359 + 1 x DX0928/250V/Green + D.P. Switch 35 = 1 x FX0359 + 1 x DX0928/250V/Red + D.P. High Inrush Switch 36 = 1 x FX0359 + 1 x DX0928/250V/Green + D.P. High Inrush Switch 47 = 1 x FX0359 + Blanking Plate (Right) + D.P. High Inrush Green Neon Switch 48 = 1 x FX0359 + Blanking Plate (Right) + D.P. Switch

CONNECTORS




NOTE: FOR TECHNICAL DETAILS OF INDIVIDUAL COMPONENTS PLEASE SEE PAGE 46

TEL: 0181 - 594 - 5588



BZV09/Z0000/04




HOW TO ORDER


BZVxx / xxxxx / xx

Type of Inlet / Outlet	Filtered or Non Filtered Inlet	Combination of Other Components
09 = PX0575/63+ PX0695/63 10 = PX0575/28+ PX0695/28 17 = PX0575/63+ PX0783/63 18 = PX0575/28+ PX0783/28 33 = PXS575/63+ PX0695/63 34 = PXS575/28+ PX0695/28 35 = PXT575/63+ PX0695/63 36 = PXT575/28+ PX0695/28 37 = PXS575/63+ PX0783/63 38 = PXS575/28+ PX0783/28 39 = PXT575/63+ PX0783/63 40 = PXT575/28+ PX0783/28	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical Exxxx = Earth Line Choke For Filtered inlet use 6th to 9th characters from filter ordering code see pages 82,84,90,92,94. E.g. BZV09/A0120/04	04 = 2 x FX0359 14 = 1 x VS0001 + 1 x FX0359 37 = 1 x VS0001 + DX0928/110V/Red 38 = 1 x VS0001 + DX0928/110V/Green 39 = 1 x VS0001 + DX0928/250V/Red 40 = 1 x VS0001 + DX0928/250V/Green 41 = 1 x FX0359 + DX0928/110V/Red 42 = 1 x FX0359 + DX0928/110/Green 43 = 1 x FX0359 + DX0928/250V/Red 44 = 1 x FX0359 + DX0928/250V/Green 45 = 1 x FX0359 + Blanking Plate



NOTE: FOR TECHNICAL DETAILS OF INDIVIDUAL COMPONENTS PLEASE SEE PAGE 46



BZV09/Z0000/49



BZV09/Z0000/51



CONNECTORS

HOW TO ORDER

BZVxx / xxxxx / xx

Type of Inlet / Outlet	Filtered or Non Filtered Inlet	Circuit Breaker and Bezel Style
09 = PX0575/63+ PX0695/63 17 = PX0575/63+ PX0783/63 33 = PXS575/63+ PX0695/63 35 = PXT575/63+ PX0695/63 37 = PXS575/63+ PX0783/63 39 = PXT575/63+ PX0783/63	Z0000 = Non Filtered Axxxx = Standard Bxxxx = Medical Cxxxx = High Performance Standard Dxxxx = High Performance Medical Exxxx = Earth Line Choke For Filtered inlet use 6th to 9th characters from filter ordering code see pages 82,84,90,92,94. E.g. BZV09/A0120/49 2 Amp	49 = Single Pole Sensing Snap to Panel Bezel 50 = Double Pole Sensing, Snap to Panel Bezel 51 = Single Pole Sensing, Screw to Panel Bezel 52 = Double Pole Sensing, Screw to Panel Bezel



Data \ List No.	BZVxx/xxxxx/49	BZVxx/xxxxx/50	BZVxx/xxxxx/51	BZVxx/xxxxx/52
Fixing:	Push Fit.	Push Fit.	Flange.	Flange.
Termination:	6.3 tab.	6.3 tab.	6.3 tab.	6.3 tab.
Ratings:	2A, 2.5A, 3A, 5A, 8A, 10A. Please state current ratings when ordering.			
Insulation Resistance:	>10 ³ MΩ. (@ 500V d.c.)	>10 ³ MΩ. (@ 500V d.c.)	>10 ³ MΩ. (@ 500V d.c.)	>10 ³ MΩ. (@ 500V d.c.)
Thermal Sensing:	Single Pole.	Double Pole.	Single Pole.	Double Pole.