
All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the property of FCI. Copyright FCI.

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation eqritopietaire.

Propriete de c FCI. Droits de reproduction FCI.



Reproduction or issue to third parties in any Reproduction ou communication a des tiers All rights strictly reserved. Tous droits strictement reserves. form whatever is not permitted without written authority from the Property of FCI. Copyright FCI. interdite sous quelque forme que ce soit sans autorisation equippiedaire Propriete de c FCI. Droits de reproduction FCI. FCI $\psi 3.20$ 4.2 INSULATION RESISTANCE: 1000 MEGAOHMS MIN.
4.3 DIELECTRIC WITHSTANDING VOLTAGE: 1000 VAC RMS 60Hz..
5.10021244-XXXXXXLF:TTHE HOUSING WILL WITHSTAND EXPOSURE TO 260C PEAK TEMPERATURE FOR 10S IN A WAVE SOLDER 2.1 HOUSING: NYLON UL94V-0, COLOR-BLACK.
2.2 CONTACT: COPPER ALLOY.
2.3 SHIELD: COPPER ALLOY.
3. PLATING: 2. MATERIAL: I. RECOMMENDED P. C. B THICKNESS 1.60 MM. 3.1 CONTACT: SEE PRODUCT NUMBERING FORMAT.
3.2 SHIELD: SEE PRODUCT NUMBERING FORMAT.
ELECTRICAL PERFORMANCE APPLICATION. 4.1 CONTACT RESISTANCE: 42 MILLIOHMS MAX. ₩0.90 TYP 2.790 TYP 2 RECOMMENDED PCB LAYOUT . 009 **(**) \bigcirc sheet mat'l. code ecn no 工 sheet revision date w dr ALLEN CHANG 2/6/03 engr ALLEN CHANG 2/6/03 ALLEN CHANG tolerances unless otherwise specified ROGER LIN . 54 4 XXX ±.05 .XX ±.15 0° ±2° × ±.25 2/10/03 2/06/03 S scale CUSTOMER COPY projection M 6.350 2.790 product family size dwg no 4 title Ε 10021244 Π Ω cage code 22526 ψ 1.70 TYP RJ 45 SINGLE DECK GANG JACK ASSY <u>8.8</u>90 10.24 code sheet 2 of 4

ACAD

Reproduction or issue to third parties in any Reproduction ou communication a des tiers Tous droits strictement reserves. form whatever is not permitted without written authority from the Property of FCI. Copyright FCI. interdite sous quelque forme que ce soit sans autorisation equippiedaire Propriete de c FCI. Droits de reproduction FCI. PLATING CODE X en. GOLD PLATING 15u" GOLD 10021244-X XX X X XXX 2 AVAILABLE AVAILABLE REMARKS sheet mat'l. code ecn no 0: SHIELD: 30u" NICKEL PLATED. 8. 8 ports. 5. 5 ports. 2. With three plastic pegs. 1. Shield: 30u" Nickel plated and Tin 4. 4 ports. 3. Metal peg behind plastic peg 3.05mm. 2. Metal peg in front of plastic peg 4.57mm. 1. Metal peg in front of plastic peg 3.57mm. 3. three back metal pegs. 2. two back metal pegs. 1. one back metal peg. 6. 6 ports. Blank: Non Lead Free LF: Lead Free sheet 1. With two plastic pegs revision tip plating on the shield taps. dr date œ dr ALLEN CHANG 2/6/03 engr ALLEN CHANG 2/6/03 tolerances unless otherwise specified .x ±.25 .xx ±.15 .xxx ±.05 .xxx ±.05 .yes 0° ±2° ALLEN CHANG 2/06/03 ROGER LIN 2/10/03 W W s scale CUSTOMER projection × RJ 45 SINGLE DECK
GANG JACK ASSY
product family MOD JACK
size dwg no **№** title 10021244 <u>0</u> cage code 22526 www.fciconnect.com TWN sheet 3 of 4

ACAD

PDM: Rev:B

STATUS: Released

₩

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation eqritopietaire. Propriete de c FCI. Droits de reproduction FCI.

	₩	FGI >	
1 2		FCI PRODUCT NO. 10021244-108221 10021244-108123 10021244-106211 10021244-106213 10021244-106113 10021244-105214 10021244-105214 10021244-105214 10021244-104211 10021244-104211 10021244-104211 10021244-104211 10021244-104211 10021244-104211 10021244-104211 10021244-104211 10021244-104113	1 2
	ind she	DIM "A"DIM "B" 114.80 97.79 114.80 97.79 114.80 97.79 114.80 97.79 87.00 69.85 87.00 69.85 87.00 69.85 72.90 55.88 72.90 55.88 72.90 55.88 59.10 41.91 59.10 41.91	
	mat'l. code tr ecn no dr date B sheet revision B	B"DIM "C"DIM "D 109.22 54.61 109.22 54.61 109.22 54.61 109.22 54.61 6 81.28 5 81.28 6 81.28 6 81.28 6 81.28 6 81.31 6 83.34 53.34 53.34	
	tolerances unless otherwise specified COPY Inear XX ±.25 Projection XX ±.15 Projection XXX ±.05 angles 0° ±2° angles 0° ±2° ALLEN CHANG 2/6/03 chr ALLEN CHANG 2/6/03 chr ALLEN CHANG 2/6/03 chr ALLEN CHANG 2/10/03 AMM appd ROSER UN 2/10/03 N/A	"DIM "E"DIM "F" 4.57 4.57 3.57 3.57 4.57 4.57 4.57 4.57 4.57 4.57 4.57 3.57 3.57 3.57 3.57 3.57	
3		DIM "G'DIM "H 13.97 13.97 13.97 13.97 13.97 13.97 13.97 13.97 13.97 13.97	3
cage code 22526	Title RJ 45 SINGLE DECK GANG JACK ASSY product family MOD JACK size dwg no A4 10021244	"H"DIM "I" 97 97 97 13.97 13.97	
4	www.foiconnect.com DECK ASSY COde TWN 4 4 of 4		4

PDM: Rev:B

STATUS: Released