

Flange Mount Types - High Performance


DC - 18 GHz Flange Mount 523 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0523-XX-SMA-02	ATT-523F-XX-SMA-02	ATT-523M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)		
HIGH PERFORMANCE		

DC - 12.4 GHz Flange Mount 524 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0524-XX-SMA-02	ATT-524F-XX-SMA-02	ATT-524M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)		
HIGH PERFORMANCE		

DC - 8.0 GHz Flange Mount 531 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0531-XX-SMA-02	ATT-531F-XX-SMA-02	ATT-531M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)		
HIGH PERFORMANCE		

DC - 4.0 GHz Flange Mount 525 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0525-XX-SMA-02	ATT-525F-XX-SMA-02	ATT-525M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)		
HIGH PERFORMANCE		

DC - 2.0 GHz Flange Mount 526 Series		Model Numbers
Male/Female	Female/Female	Male/Male
ATT-0526-XX-SMA-02	ATT-526F-XX-SMA-02	ATT-526M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)		
HIGH PERFORMANCE		



SPECIFICATIONS - HIGH PERFORMANCE




Attenuation Accuracy: 1-6 dB ± 0.3 dB
7-20 dB ± 0.5 dB
21-30 dB ± 1.0 dB

VSWR: 1.07+.015(f GHz) max

Power: 2 Watts Average @ +25 °C derated linearly
to .5 watts @ +125 °C and 200 Watts peak

Operating Temperature Range: -65 to +125 °C

Finish: Passivated Stainless Steel



Note: * U.S. Patent No. 3,824,506 applies to all " Fixed Attenuators.


[Shopping Cart](#)
[Order Status](#)
[Help Desk](#)
[About Midwest](#)
[Contact Midwest](#)
[Authorized Distributors & Sales Representatives](#)
[Distributors Only](#)
[Customer Login](#) United States

 Try our New Search!

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Flange Mount Subminiature MINIPAD SMA Fixed Attenuators								
ATT-531M-01-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	1	More Details
ATT-531M-02-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	2	More Details
ATT-531M-03-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	3	More Details
ATT-531M-04-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	4	More Details
ATT-531M-05-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	5	More Details
ATT-531M-06-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	6	More Details
ATT-531M-07-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	7	More Details
ATT-531M-08-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	8	More Details
ATT-531M-09-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	9	More Details
ATT-531M-10-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	10	More Details
ATT-531M-11-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	11	More Details
ATT-531M-12-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	12	More Details
ATT-531M-13-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	13	More Details
ATT-531M-14-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	14	More Details
ATT-531M-15-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	15	More Details

We also have

Attenuator

[BUY NOW](#) Our Price: **\$222.00**


ATT-0640-06-29M-02
6 dB DC-40 Ghz Attenuator
Subminiature Minipad
2.9mm/2.9mm 1 watt
Passivated

[Click for More Info](#)

Connector

[BUY NOW](#) Our Price: **\$18.60**


SMA-5240-15-POT-00
Female SMA Gold
Connector Receptacle Solder
Contact

[Click for More Info](#)

ATT-531M-16-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	16	More Details
ATT-531M-17-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	17	More Details
ATT-531M-18-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	18	More Details
ATT-531M-19-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	19	More Details
ATT-531M-20-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	20	More Details
ATT-531M-21-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	21	More Details
ATT-531M-22-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	22	More Details
ATT-531M-23-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	23	More Details
ATT-531M-24-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	24	More Details
ATT-531M-25-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	25	More Details
ATT-531M-26-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	26	More Details
ATT-531M-27-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	27	More Details
ATT-531M-28-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	28	More Details
ATT-531M-29-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	29	More Details
ATT-531M-30-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	30	More Details
ATT-531M-70-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	0.5	More Details
ATT-531M-71-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	1.5	More Details
ATT-531M-72-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	2.5	More Details
ATT-531M-73-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	3.5	More Details
ATT-531M-74-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	4.5	More Details

ATT-531M-75-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	5.5	More Details
ATT-531M-76-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	6.5	More Details
ATT-531M-77-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	7.5	More Details
ATT-531M-78-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	8.5	More Details
ATT-531M-79-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	9.5	More Details
ATT-531M-80-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	10.5	More Details
ATT-531M-81-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	11.5	More Details
ATT-531M-82-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	12.5	More Details
ATT-531M-83-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	13.5	More Details
ATT-531M-84-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	14.5	More Details
ATT-531M-85-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	15.5	More Details
ATT-531M-86-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	16.5	More Details
ATT-531M-87-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	17.5	More Details
ATT-531M-88-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	18.5	More Details
ATT-531M-89-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	19.5	More Details

Matches 1-50 of 60 found.
[1](#) [2](#) [Next](#)

All rights reserved. ©2002 Midwest Microwave


[Customer Login](#) [United States](#)
[Try our New Search!](#)

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Flange Mount Subminiature MINIPAD SMA Fixed Attenuators								
ATT-531M-90-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	20.5	More Details
ATT-531M-91-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	21.5	More Details
ATT-531M-92-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	22.5	More Details
ATT-531M-93-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	23.5	More Details
ATT-531M-94-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	24.5	More Details
ATT-531M-95-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	25.5	More Details
ATT-531M-96-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	26.5	More Details
ATT-531M-97-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	27.5	More Details
ATT-531M-98-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	28.5	More Details
ATT-531M-99-SMA-02	Attenuator	8	2	FLG	SMA/SMA	M/M	29.5	More Details

Matches 51-60 of 60 found.
[Previous](#) [1](#) [2](#)

We also have

Attenuator

BUY NOW Our Price: **\$222.00**



ATT-0640-06-29M-02
 6 dB DC-40 Ghz Attenuator
 Subminiature Minipad
 2.9mm/2.9mm 1 watt
 Passivated

[Click for More Info](#)

Attenuator

BUY NOW Our Price: **\$86.10**



ATT-0292-04-HEX-02
 4 dB DC-8 Ghz Attenuator
 Subminiature Minipad Hex
 Body SMA/SMA 2 watt
 Passivated

[Click for More Info](#)

All rights reserved. ©2002 Midwest Microwave