

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0	K15	REVISED PER ECO-09-016765	30JUL09	HMR CR

PHYSICAL PROPERTIES:
 HOUSING MATERIAL: THERMOPLASTIC, PC
 FLAMABILITY: UL94V-0
 COLOR: BLACK



TERMINAL:
 TERMINALS: BRASS, TIN PLATED
 SCREWS: 6-32 STEEL, NICKEL PLATED

MECHANICAL:
 PITCH: .437
 WIRE RANGE: 14-22 AWG
 RECOMMENDED TIGHTENING TORQUE: 12IN-LB

ELECTRICAL PROPERTIES:
 MAX CURRENT: 25A
 OPERATING VOLTAGE: 300V

ENVIRONMENTAL PROPERTIES:
 OPERATING TEMP: -40°C TO 120°C

- ① SEE FIGURE.
- ② PRELIMINARY PART NUMBER.
- ③ STAINLESS STEEL SCREWS.
- ④ WHITE INK STAMP.




②	5.681	5.992	12	4-1546670-2
②	9.177	9.488	20	2-1546670-0
②	8.740	9.051	19	1-1546670-9
②	8.303	8.614	18	3-1546670-0
②	8.303	8.614	18	1-1546670-8
②	7.866	8.177	17	1-1546670-7
②	7.429	7.740	16	1-1546670-6
②	6.992	7.303	15	1-1546670-5
②	6.555	6.866	14	1-1546670-4
②	6.118	6.429	13	1-1546670-3
②	5.681	5.992	12	1-1546670-2
②	5.244	5.555	11	1-1546670-1
④	4.807	5.118	10	4-1546670-3
②	4.807	5.118	10	3-1546670-8
②	4.807	5.118	10	1-1546670-0
②	4.370	4.681	9	3-1546670-5
②	4.370	4.681	9	3-1546670-2
②	4.370	4.681	9	1546670-9
①	3.933	4.244	8	4-1546670-1
③	3.933	4.244	8	3-1546670-6
②	3.933	4.244	8	3-1546670-4
②	3.933	4.244	8	3-1546670-3
②	3.933	4.244	8	1546670-8
②	3.496	3.807	7	1546670-7
①	3.059	3.370	6	3-1546670-1
①	3.059	3.370	6	1546670-6
①	2.622	2.933	5	2-1546670-8
①	2.622	2.933	5	2-1546670-7
②	2.622	2.933	5	1546670-5
②	2.622	2.933	4	3-1546670-9
①	2.185	2.496	4	2-1546670-9
①	2.185	2.496	4	1546670-4
①	1.748	2.059	3	1546670-3
①	1.311	1.622	2	1546670-2
	DIM B	DIM A	NO OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHEGEL	4/4/03	Tyco Electronics Corporation B&Brisburg, PA 17105
DIMENSIONS: INCHES		CHK	C RICHARD	4/4/03	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	C RICHARD	4/4/03	
0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .005 4 PLC ± - ANGLES ± 3°		PRODUCT SPEC	NAME		
MATERIAL		APPLICATION SPEC		DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING	
FINISH		WEIGHT	SIZE		RESTRICTED TO
-		-	A2 00779 C=1546670		-
CUSTOMER DRAWING		SCALE	SHEET		REV
-		NTS	1 of 3		K15


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
FT		0		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-


DOUBLE SIDED, DOUBLE HOLE
QC TAB, QTY 5



DOUBLE SIDED, DOUBLE HOLE
QC TAB, QTY 5




JUMPER, QTY 1




DOUBLE SIDED, DOUBLE HOLE
45° QC TAB, QTY 9



DOUBLE SIDED, DOUBLE HOLE
90° QC TAB, QTY 9



JUMPER QTY 2



.250
TYP




2-1546670-7


2-1546670-8

3-1546670-2

DOUBLE SIDED, DOUBLE HOLE
QC TAB, QTY 5




SINGLE SIDED, DOUBLE HOLE
QC TAB, QTY 6




DOUBLE SIDED, DOUBLE HOLE
FLAT QC TAB, QTY 8.

JUMPER, QTY 2





DOUBLE SIDED, DOUBLE HOLE
45° QC TAB, QTY 6



DOUBLE SIDED, DOUBLE HOLE
90° QC TAB, QTY 4



SINGLE SIDED, SINGLE HOLE
QC TAB, QTY 2



.250
TYP




2-1546670-9


3-1546670-1

3-1546670-3



SINGLE SIDED, DOUBLE HOLE
QC TAB, QTY 18



DOUBLE SIDED, DOUBLE HOLE
FLAT QC TAB, QTY 8.



.250
TYP



3-1546670-0


3-1546670-4

11.764	12.110	26	2-1546670-6
11.327	11.673	25	2-1546670-5
10.890	11.236	24	2-1546670-4
10.453	10.799	23	2-1546670-3
10.016	10.362	22	2-1546670-2
9.579	9.925	21	2-1546670-1
9.142	9.488	20	3-1546670-7
DIM B	DIM A	NO OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHEGEL	4/4/03	Tyco Electronics Corporation Harrisburg, PA 17105
DIMENSIONS: INCHES		CHK	C RICHARD	4/4/03	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	C RICHARD	4/4/03	
0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .005 4 PLC ± - ANGLES ± 3°		PRODUCT SPEC	NAME		
MATERIAL		APPLICATION SPEC	DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING		
FINISH		WEIGHT	SIZE		CAGE CODE
		CUSTOMER DRAWING		A2	00779
		SCALE		DRAWING NO	
		NTS		C=1546670	
		SHEET		RESTRICTED TO	
		2 OF 3		-	
		REV		K15	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
FT	0	SEE SHEET 1	-	-	-		



DOUBLE SIDED, DOUBLE HOLE
 FLAT QC TAB, QTY 9.


JUMPER, QTY 1

3-1546670-5




DOUBLE SIDED, DOUBLE HOLE
 45° QC TAB, QTY 9

3-1546670-7




SINGLE SIDED, DOUBLE HOLE
 45° QC TAB, QTY 10




SINGLE SIDED, DOUBLE HOLE
 90° QC TAB, QTY 10

JUMPER, QTY 4



4-1546670-3





SINGLE SIDED, DOUBLE HOLE
 FLAT QC TAB, QTY 10




3-1546670-8



3-1546670-9



4-1546670-1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHEGEL	4/4/03	Tyco Electronics Corporation Harrisburg, PA 17105
DIMENSIONS: INCHES		CHK	C RICHARD	4/4/03	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	C RICHARD	4/4/03	
0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .005 4 PLC ± - ANGLES ± 3°		PRODUCT SPEC	NAME		
MATERIAL		APPLICATION SPEC		DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING	
FINISH		WEIGHT	SIZE		CAGE CODE
-		-	A2		00779
-		CUSTOMER DRAWING		DRAWING NO	
-		SCALE		RESTRICTED TO	
-		NTS		-	
-		SHEET		REV	
-		3 OF 3		K15	