


Tous droits réservés. Reproduction ou utilisation sans autorisation écrite de BERG ELECTRONICS est formellement interdite.
All rights reserved. Reproduction or use without written authority from BERG ELECTRONICS is expressly prohibited.
Copyright BERG ELECTRONICS 1998




- NOTE:
1. MATERIAL:
HOUSING: LIQUID CRYSTAL POLYMER OR OTHER HIGH PERFORMANCE RESINS, GLASS FILLED UL94V-0 RATED.
EJECTOR: LIQUID CRYSTAL POLYMER OR OTHER HIGH PERFORMANCE RESINS, GLASS FILLED UL94V-0 RATED.
TERMINAL: PHOSPHOR BRONZE.
 2. BERG LOGO TO BE APPROXIMATELY LOCATED AS SHOWN ON PRINT.
 3. PRODUCT SPECIFICATIONS: GES-12-066.
 4. DATUM -X- POSITIONS (KEY POSITION #2) ONLY.

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn no.	dr	date	linear	.0 ±0.38/.015 .00 ±0.25/.010 .000±0.13/.005	projection 	title DIMM .050" 1-ROW, 100P V/T ASSY	product family	code
A	T70201	A	H05/21/97						
B	V71800	DA	11/17/97						
C	V91017	DA	04/28/98	angles	± Z	2 : 1	size	dwg no.	TWN sheet 1 OF 4
				dr	CATHY LIN 05/02/98				
				engr	V. CHUANG 05/02/98				
				chr	V. CHUANG 05/02/98				
				app	JENN TSAO 05/02/98				
sheet	revision	C	C	B	A		A3	61306	
index	sheet	1	2	3	4				

Tous droits réservés. Reproduction ou communication à des tiers est interdite sans autorisation écrite de BERG ELECTRONICS.


BERG ELECTRONICS

All rights reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.



U1	TYPE "R"	TYPE "L"	FOR UNBUFFERED DRAM, 5.0 VOLT.	23.40 0.921
U2	TYPE "R"	TYPE "C"	FOR UNBUFFERED DRAM, 3.3 VOLT.	24.40 0.961
-	TYPE "L"	TYPE "C"	SPECIAL	26.40 1.039
VARIAION	KEY POS. #1	KEY POS. #2	DESCRIPTION	DIM "C"

mat'l code	tolerance unless otherwise specified	CUSTOMER COPY	BERG ELECTRONICS
rev. sec no. dr date	linear .0 ±0.30/.012 .00 ±0.20/.008 .000 ±0.10/.004	projection	title DIMM .050" 1-ROW, 100P V/T ASS'Y
dr CATHY LIN 01/29/98	angles ± 2°	unit mm/inch	product family
enr WAYNE YU 01/29/98	scale 2 : 1	size A3	dwg no. 61306
chr WAYNE YU 01/29/98			code TWN
appd JENN TSAO 01/29/98			sheet 2 OF 4
sheet revision index sheet			



RECOMMENDED CIRCUIT BOARD HOLE LAYOUT

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn	no.	dr	date	linear	projection	title	product family	code
B					.0 ± 0.30/.012		DIMM .050" 1-ROW, 100P V/T ASS'Y		
					.00 ± 0.20/.008				
					.000 ± 0.10/.004				
					angles ± 2'				
					dr CATHY LIN 01/29/96	unit mm/inch			
					enr WAYNE YU 01/29/96	scale			
					chr WAYNE YU 01/29/96	2 : 1			
					appd JENN TSAO 01/29/96				
sheet	revision								
index	sheet								

Tous droits réservés. Reproduction ou communication à des tiers sans autorisation écrite de BERG ELECTRONICS. Toute réimpression sans autorisation écrite de BERG ELECTRONICS est formellement interdite.



All rights reserved. Reproduction or communication to third parties in any form without written authorization of BERG ELECTRONICS is expressly prohibited. Copyright BERG ELECTRONICS Inc.

1 2 3 4 5 6

61306 - □ □ □ □

STYLE

- 1 : FOR UNBUFFERED DRAM, 3.3 VOLT.
- 2 : FOR UNBUFFERED DRAM, 5.0 VOLT.
- 3 : SPECIAL

PEG TYPE

- 0 : WITH RETENTION PEG DIM "D" = 3.04/.120
- 1 : WITH RETENTION PEG DIM "D" = 3.80/.150

TAIL LENGTH

CODE	DIM. "A"	DIM. "B"
0	2.54 .100	2.39 .094
1	3.30 .130	3.15 .124

PLATING

CODE	CONTACT	SOLDERTAIL	UNDERPLATE
1	150μ" (3.81μm) MIN. TIN/LEAD		
2	15μ" (0.38μm) MIN. GOLD		
3	30μ" (0.76μm) MIN. GOLD		
4	3μ" (0.076μm) MIN. GOLD	100μ" (2.54μm) MIN. TIN/LEAD	50μ" (1.27μm) MIN. NICKEL OVERALL
5	15μ" (0.38μm) MIN. GXT		
6	30μ" (0.76μm) MIN. GXT		
7	20μ" (0.51μm) MIN. GXT		

COLOR OF HOUSING AND EJECTOR

- 0 : BLACK HOUSING + IVORY EJECTOR
- 1 : IVORY HOUSING + BLACK EJECTOR

A

B

C

D

1 2 3 4 5 6

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn	no.	dr	date	linear	projection	title	product family	code
C					.00 ±.005/.015	1	DIMM .050" 1-ROW, 100P V/T ASS'Y		TWN
					.000 ±.013/.005				sheet
					± .2"				4 OF 4
					dr CATHY UN 01/29/98	unit			
					enr WAYNE YU 01/29/98	mm/inch			
					chr WAYNE YU 01/29/98	scale			
					appd JENN TSAO 01/29/98	1 : 1			
sheet	revision								
index	sheet								