

Broadband Wireless Frequency Coverage

- DC-2, DC-8, DC-12.4, and DC-26.5 GHz units available
- Rugged Stainless Steel Construction
- Any Male/Female combination available
- Low cost high value performance

Midwest Microwave's SMA subminiature series of fixed coaxial attenuators (MINIPAD[®]) provide temperature stable, ruggedly built, precision performance in a compact light weight package size. Attenuation values up through 30 dB in 1 dB increments are available with any of the units described and with any combination of female or male SMA connectors.

SPECIFICATIONS

Frequency: DC - 2.0, DC - 4.0, DC - 12.4 GHz
DC - 18.0, and DC - 26.5 GHz

Attenuation Accuracy: 1-6 dB $\pm$ 0.5dB
7-20 dB $\pm$ 0.7 dB
21-30 dB $\pm$ 1.5 dB

VSWR: 1.15 max @ DC - 2.0 GHz, 1.20 max @ 2 - 4.0 GHz, 1.25 max @ 4.0 - 12.4 GHz
1.35 max @ 12.4 - 18.0 GHz, and 1.5 max @ 18.0 - 26.5 GHz

Power: 2 Watts Average @ +25°C derated linearly to .5 watts @ +125°C


Peak Power: 200 Watts

Operating Temperature Range: -65 to +125C

Finish: Passivated Stainless Steel




DC - 2.0 GHz		460 Series	Model Numbers
Male/Female	Female/Female	Male/Male	
ATT-0460-XX-SMA-02	ATT-460F-XX-SMA-02	ATT-460M-XX-SMA-02	
XX = Attenuation Value: Select 01-30*dB in 1dB increments only			
Wireless System Performance			




Attenuation Value	Length A
1-12 dB	0.86
13-30 dB	1.02

DC - 4.0 GHz		461 Series	Model Numbers
Male/Female	Female/Female	Male/Male	
ATT-0461-XX-SMA-02	ATT-461F-XX-SMA-02	ATT-461M-XX-SMA-02	
XX = Attenuation Value: Select 01-30*dB in 1dB increments only			
Wireless System Performance			



Attenuation Value	Length A
1-12 dB	0.90
13-30 dB	1.03

DC - 12.4 GHz		463 Series	Model Numbers
Male/Female	Female/Female	Male/Male	
ATT-0463-XX-SMA-02	ATT-463F-XX-SMA-02	ATT-463M-XX-SMA-02	
XX = Attenuation Value: Select 01-30*dB in 1dB increments only			
Wireless System Performance			



Attenuation Value	Length A
1-12 dB	0.98
13-30 dB	1.12

Note: * Higher dB levels are available on special request.

DC - 8 GHz units available as ATT-0462-XX-SMA-02 etc.


[Shopping Cart](#)
[Order Status](#)
[Help Desk](#)
[About Midwest](#)
[Contact Midwest](#)
[Authorized Distributors & Sales Representatives](#)
[Distributors Only](#)
[Customer Login](#) United States

 Try our New Search!

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Wireless Hex Body Subminiature MINIPAD SMA Attenuators								
ATT-461F-00-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	0	More Details
ATT-461F-01-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	1	More Details
ATT-461F-02-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	2	More Details
ATT-461F-03-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	3	More Details
ATT-461F-04-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	4	More Details
ATT-461F-05-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	5	More Details
ATT-461F-06-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	6	More Details
ATT-461F-07-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	7	More Details
ATT-461F-08-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	8	More Details
ATT-461F-09-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	9	More Details
ATT-461F-10-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	10	More Details
ATT-461F-11-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	11	More Details
ATT-461F-12-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	12	More Details
ATT-461F-13-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	13	More Details
ATT-461F-14-HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	14	More Details

We also have

Attenuator

[BUY NOW](#) Our Price: **\$222.00**


ATT-0640-06-29M-02
6 dB DC-40 Ghz Attenuator
Subminiature Minipad
2.9mm/2.9mm 1 watt
Passivated

[Click for More Info](#)

Attenuator

[BUY NOW](#) Our Price: **\$90.40**


ATT-0291-05-HEX-02
5 dB DC-12.4 Ghz
Attenuator Subminiature
Minipad Hex Body SMA/SMA
2 watt Passivated

[Click for More Info](#)

ATT-461F-15- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	15	More Details
ATT-461F-16- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	16	More Details
ATT-461F-17- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	17	More Details
ATT-461F-18- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	18	More Details
ATT-461F-19- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	19	More Details
ATT-461F-20- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	20	More Details
ATT-461F-21- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	21	More Details
ATT-461F-22- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	22	More Details
ATT-461F-23- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	23	More Details
ATT-461F-24- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	24	More Details
ATT-461F-25- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	25	More Details
ATT-461F-26- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	26	More Details
ATT-461F-27- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	27	More Details
ATT-461F-28- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	28	More Details
ATT-461F-29- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	29	More Details
ATT-461F-30- HEX-02	Attenuator	4	2	HEX	SMA/SMA	F/F	30	More Details
Wireless Subminiature MINIPAD SMA Attenuators								
ATT-461F-00- SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	0	More Details
ATT-461F-01- SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	1	More Details
ATT-461F-02- SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	2	More Details
ATT-461F-03-	Attenuator	4	2	STD	SMA/SMA	F/F	3	More

SMA-02								Details
ATT-461F-04-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	4	More Details
ATT-461F-05-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	5	More Details
ATT-461F-06-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	6	More Details
ATT-461F-07-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	7	More Details
ATT-461F-08-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	8	More Details
ATT-461F-09-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	9	More Details
ATT-461F-10-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	10	More Details
ATT-461F-11-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	11	More Details
ATT-461F-12-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	12	More Details
ATT-461F-13-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	13	More Details
ATT-461F-14-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	14	More Details
ATT-461F-15-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	15	More Details
ATT-461F-16-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	16	More Details
ATT-461F-17-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	17	More Details
ATT-461F-18-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	18	More Details

[Matches 1-50 of 62 found.](#)

[1](#) [2](#) [Next](#)

All rights reserved. ©2002 Midwest Microwave


[Shopping Cart](#)
[Order Status](#)
[Help Desk](#)
[About Midwest](#)
[Contact Midwest](#)
[Authorized Distributors & Sales Representatives](#)
[Distributors Only](#)
[Customer Login](#) United States

[Try our New Search!](#)

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Wireless Subminiature MINIPAD SMA Attenuators								
ATT-461F-19-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	19	More Details
ATT-461F-20-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	20	More Details
ATT-461F-21-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	21	More Details
ATT-461F-22-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	22	More Details
ATT-461F-23-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	23	More Details
ATT-461F-24-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	24	More Details
ATT-461F-25-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	25	More Details
ATT-461F-26-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	26	More Details
ATT-461F-27-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	27	More Details
ATT-461F-28-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	28	More Details
ATT-461F-29-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	29	More Details
ATT-461F-30-SMA-02	Attenuator	4	2	STD	SMA/SMA	F/F	30	More Details

Matches 51-62 of 62 found.
Previous 1 2

We also have

Attenuator

BUY NOW Our Price: **\$222.00**



ATT-0640-06-29M-02
6 dB DC-40 Ghz Attenuator
Subminiature Minipad
2.9mm/2.9mm 1 watt
Passivated

[Click for More Info](#)

Connector

BUY NOW Our Price: **\$27.10**



BMA-1188-51-000-02
Male BMA Passivated Connector
Flexible Crimp Contact
RG174, RG179, RG187, RG188, RG316
cable

[Click for More Info](#)

All rights reserved. ©2002 Midwest Microwave