









注記

- 製品番号 52207-**67 の梱包状態はアクチュエータがロックした状態とする。
製品詳細寸法は製品単体図面を参照して下さい。
IN THE PACKAGE , ACTUATOR OF PART NO.52207-**67 SHOULD BE LOCKED
FOR DETAIL OF CONNECTOR DIMENSIONS, PLEASE SEE
THE DRAWING OF CONNECTOR ITSELF (NOT PACKAGED).
- 梱包数量 : 1000個/リール
NUMBER OF CONNECTORS : 1000PCS/REEL
- リードテープ長さ(LEAD TAPE LENGTH)
トップテープ TOP TAPE
リーダー部 LEADER PART 未接着部 NON-BONDED PART
175 ±25 25 ±5
引き出し方向
PULL OUT DIRECTION
リーダー部 (空部) 部品挿入部 末端部 (空部)
LEADER PART COMPONENT TAIL PART
(EMPTY) SUPPLIER (EMPTY)
120 ±20 150 ±40
- 材料 (MATERIAL)
キャリアテープ (CARRIER TAPE) : ポリプロピレン (POLYPROPYLENE)
トップテープ (TOPTAPE) : PET, PE, PEF
リール (REEL) : ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>
- ELV AND RoHS COMPLIANT.
- 本製品は52207-**60の梱包違い品、シリカゲル入りハイバリア仕様である。
THIS PRODUCT IS HIGH BARRIER PACKAGE INCLUDING SILICAGEL
FOR 53398-**60.
- 開梱後の保管条件に注意のこと。(PS-52207-048 参照)
REFER TO PS-52207-048 FOR CONDITIONS AFTER OPEN.




REVISED EC NO: J2008-4127 DRWN:ASUZUKI01 CHKD:MATSUMOTO APPR:NUKITA		DESCRIPTION 2008/06/04 2008/06/04 2008/06/06		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		52207-**51		MODEL NO.	
						MM ONLY		---		DESIGN UNITS		 THIRD ANGLE PROJECTION	
										METRIC			
A		REV		10 UNDER		± ---		DRAWN BY		DATE		TITLE EMBOSSED TAPE PKG. FOR 52207-**67 HIGH BARRIER PKG. MOLEX INCORPORATED	
				10 OVER 30 UNDER		± ---		CHECKED BY		DATE			
				30 OVER		± ---		APPROVED BY		DATE			
				ANGULAR ± --- °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-52207-067		1 OF 5			
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					




SECT:T-T

16mm 幅 キャリアテープ
16mm WIDTH CARRIER TAPE



SECT:X-X

24mm 幅 キャリアテープ
24mm WIDTH CARRIER TAPE



SECT:V-V

24	29.4	25.4	18.5	15	11.7	17.3	52207-1151	11
			17.5	14	10.7	16.3	52207-1051	10
			16.5	13	9.7	15.3	52207-0951	9
			15.5	12	8.7	14.3	52207-0851	8
			14.5	11	7.7	13.3	52207-0751	7
			13.5	10	6.7	12.3	52207-0651	6
			12.5	9	5.7	11.3	52207-0551	5
16	21.4	17.4	11.5	8	4.7	10.3	52207-0451	4
10.5	7	3.7	9.3	52207-0351	3			
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(D)	(C)	(B)	(A)	MATERIAL NO. MODEL NO. 52207-**-51	極数 CKT.

REVISED EC NO: J2008-4127 DRWN:ASUZUKI01 CHKD:HMATSUMOTO APPR:NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE		
				MM ONLY		---	METRIC	PROJECTION		
		10 UNDER	± ---	DRAWN BY	DATE	TITLE EMBOSSD TAPE PKG. FOR 52207-**67 HIGH BARRIER PKG.				
		10 OVER 30 UNDER	± ---	CHECKED BY	DATE					
		30 OVER	± ---	APPROVED BY	DATE	MOLEX INCORPORATED				
	ANGULAR	± --- °	N. UKITA	'08/05/29						
REV	A	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
				SEE TABLE		SD-52207-067		2 OF 5		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F



E

D

C

B

A



32mm 幅 キャリアテープ
32mm WIDTH CARRIER TAPE

32	37.4	33.4	4.0	0.5	23.5	20	16.7	22.35	52207-1651	16
			4.2	0.6	22.5	19	15.7	21.35	52207-1551	15
			4.2	0.6	21.5	18	14.7	20.35	52207-1451	14
			4.2	0.6	20.5	17	13.7	19.35	52207-1351	13
			4.2	0.6	19.5	16	12.7	18.35	52207-1251	12
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(G)	(F)	(D)	(C)	(B)	(A)	MATERIAL NO. MODEL NO. 52207-**51	極数 CKT.

REVISED EC NO: J2008-4127 DRWN:ASUZUKI01 CHKD:HMATSUMOTO APPR:NUKITA	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± ---	DRAWN BY M. NABEI	DATE '08/05/29	TITLE EMBOSSSED TAPE PKG. FOR 52207-***67 HIGH BARRIER PKG.		
		10 OVER 30 UNDER	± ---	CHECKED BY H. MATSUMOTO	DATE '08/05/29			
		30 OVER	± ---	APPROVED BY N. UKITA	DATE '08/05/29	 MOLEX INCORPORATED		
		ANGULAR ± --- °		MATERIAL NO.				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-52207-067		
	A		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

F


E

D

C

B

A



SECT:Z-Z

44mm 幅 キャリアテープ
44mm WIDTH CARRIER TAPE

44	49.4	45.4	33.5	30	26.7	32.35	52207-2651	26
			31.5	28	24.7	30.35	52207-2451	24
			29.5	26	22.7	28.35	52207-2251	22
			28.5	25	21.7	27.35	52207-2151	21
			27.5	24	20.7	26.35	52207-2051	20
			26.5	23	19.7	25.35	52207-1951	19
			25.5	22	18.7	24.35	52207-1851	18
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(D)	(C)	(B)	(A)	MATERIAL NO. MODEL NO. 52207-**51	極数 CKT.

REVISED

EC NO: J2008-4127

DRWN:ASUZUKI01

CHKD:MATSUMOTO

APPR:NUKITA

2008/06/04

2008/06/04

2008/06/06

DESCRIPTION

REV

GENERAL TOLERANCES
(UNLESS SPECIFIED)

10 UNDER ± ---

10 OVER 30 UNDER ± ---

30 OVER ± ---

ANGULAR ± --- °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY DATE
M. NABEI '08/05/29

CHECKED BY DATE
H. MATSUMOTO '08/05/29

APPROVED BY DATE
N. UKITA '08/05/29

MATERIAL NO.

SEE TABLE

SIZE
A3

SCALE

DESIGN UNITS
METRIC


THIRD ANGLE
PROJECTION

TITLE
EMBOSSSED TAPE PKG.
FOR 52207-**67
HIGH BARRIER PKG.

MOLEX INCORPORATED

DOCUMENT NO.
SD-52207-067

SHEET NO.
4 OF 5



56mm 幅 キャリアテープ
56mm WIDTH CARRIER TAPE

56	61.4	57.4	37.5	34	30.7	36.35	52207-3051	30
			35.5	32	28.7	34.35	52207-2851	28
キャリアテープ幅 CARRIER TAPE WIDTH	F	E	(D)	(C)	(B)	(A)	MATERIAL NO.	CIRCUIT

REVISED EC NO: J2008-4127 DRWN:SUZUKI01 CHKD:MATSUMOTO APPR:NUKITA REV A	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
				MM ONLY		---	METRIC			
		10 UNDER	± ---	DRAWN BY M.NABEI	DATE '08/05/29	TITLE EMBOSSED TAPE PKG. FOR 52207-**67 HIGH BARRIER PKG.				
		10 OVER 30 UNDER	± ---	CHECKED BY H.MATSUMOTO	DATE '08/05/29					
		30 OVER	± ---	APPROVED BY N.UKITA	DATE '08/05/29	 MOLEX INCORPORATED				
	ANGULAR ± --- °		MATERIAL NO.		DOCUMENT NO.					
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-52207-067		5 OF 5			
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							