

<h3>5102</h3> <p>5102-0-00-XX-00-00-33-0 Press-fit in 1,45 mounting hole</p>	<h3>1502</h3> <p>1502-0-00-XX-00-00-03-0 Press-fit in 1,45 mounting hole</p>	<h3>2956-0</h3> <p>2956-0-00-XX-00-00-03-0 Surface mount</p>	<h3>2956-1</h3> <p>2956-1-00-XX-00-00-03-0 Surface mount</p>
---	---	---	---

<h3>8876</h3> <p>8876-0-00-XX-00-00-03-0 Press-fit in 1,45 mounting hole</p>	<h3>0259/0286/1941</h3> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Basic Part Number</th> <th>Length L</th> <th>Barb Dia. E</th> <th>Mounting Hole</th> </tr> </thead> <tbody> <tr> <td>0259-0</td> <td>4,39</td> <td>1,57</td> <td>1,5</td> </tr> <tr> <td>0286-0</td> <td>2,92</td> <td>1,52</td> <td>1,45</td> </tr> <tr> <td>1941-0</td> <td>4,29</td> <td>1,47</td> <td>1,45</td> </tr> </tbody> </table> <p>02XX-0-00-XX-00-00-03-0 Press-fit in 1,45/1,5 mounting hole</p>	Basic Part Number	Length L	Barb Dia. E	Mounting Hole	0259-0	4,39	1,57	1,5	0286-0	2,92	1,52	1,45	1941-0	4,29	1,47	1,45	<h3>1938</h3> <p>1938-0-00-XX-00-00-03-0 Press-fit in 1,45 mounting hole</p>
Basic Part Number	Length L	Barb Dia. E	Mounting Hole															
0259-0	4,39	1,57	1,5															
0286-0	2,92	1,52	1,45															
1941-0	4,29	1,47	1,45															

<h3>1940</h3> <p>1940-0-00-XX-00-00-03-0 Press-fit in 1,45 mounting hole</p>	<h3>1942</h3> <p>1942-0-00-XX-00-00-03-0 Press-fit in 1,45 mounting hole</p>	<h3>3024</h3> <p>3024-0-01-XX-00-00-03-0 Press-fit in 1,45 mounting hole</p>	<h3>3000</h3> <p>3000-0-00-XX-00-00-03-0 Press-fit in 1,55 mounting hole</p>
---	---	---	---

<h3>SPECIFICATIONS</h3> <p>PIN MATERIAL: Brass Alloy 360, 1/2 Hard (Except Swage pins which are annealed)</p> <p>DIMENSION IN INCHES TOLERANCES ON: LENGTHS: ±0,13 DIAMETERS: ±0,05 ANGLES: ± 2°</p>	<p>ORDER CODE: XXXX - X - 0X - XX - 00 - 00 - XX - 0</p> <p>BASIC PART # SPECIFY PIN FINISH:</p> <ul style="list-style-type: none"> 01 5,08µm TIN/LEAD OVER NICKEL ◇ 80 5,08µm TIN OVER NICKEL (RoHS) ◇ 15 0,25µm GOLD OVER NICKEL (RoHS) ◇ 21 0,51µm GOLD OVER NICKEL (RoHS) ◇ 34 1,27µm GOLD OVER NICKEL (RoHS)
--	--

