

LIQUID LEVEL SENSOR

VCS Series – Compact Liquid Level Sensor

VCS-02

Design Features


- Overall length less than 60mm
- M8 x 1.25mm fitting
- Internal fit
- 30mm float diameter
- Point Alarm

Product Comments

- High or Low level switching
- Normally Open or Normally Closed by float reversal
- Reed Switch Reliability (UL File E153493)
- Wetted magnet
- Interface option

Typical Applications

- Water high or low Level
- Condensate level alarm
- Chemical high or low level
- Cooling systems
- Coolant level indication



Material, Design and Operation

Mounting:	Top or Bottom Entry
Material:	Polypropylene
Fitting:	Internal Fitting
Contact Form:	Form A - SPST
Contact Material:	Ruthenium
Maximum Switching Voltage:	250VAC
Maximum Switching Current:	1.0
Maximum Power:	15 Watts
Housing Temperature Range °C	70
Housing Material:	Glass Filled Polypropylene
Housing Colour:	Black
Float Material:	Foamed Polypropylene
Connection type:	Stripped Cables
Cable Type	2 x 22AWG, 16/0.2mm PVC Insulated 0.1M long
Cable Colour:	
Minimum Specific Gravity:	0.64
Operating Temperature Range °C:	70
Medium / Liquid:	Water
Operate Mode:	N/C with float down Internal Fitting

Line Drawing

VCS-02

