KR Electronics, Inc.

General Description

KR Electronics part number 2587-125-1 is a 125 MHz bandpass filter. The filter has a min 1 dB bandwidth of 30 MHz. Elliptic type response for quick transition to the stopband. Other frequencies are available. Please consult the factory.


Features

- 125 MHz Bandpass Filter
- 30 MHz min 1 dB Bandwidth
- 75 MHz max 55 dB Bandwidth
- Elliptic Type Response
- 50 Ω Source and Load
- Surface Mount Package
- SMA Connectors Also Available

Typical Performance

Overall Response

(10 dB/div)




KR Electronics, Inc. 91 Avenel Street Avenel, NJ 07001 Web www.krfilters.com
Email sales@krfilters.com
Phone (732) 636-1900
Fax (732) 636-1982

KR Electronics, Inc.

Typical Performance


Passband Amplitude & Group Delay

(1 dB/div & 10 nsec/div)



Overall Response

(10 dB/div)




KR Electronics, Inc. 91 Avenel Street Avenel, NJ 07001 Web Email Phone Fax www.krfilters.com sales@krfilters.com (732) 636-1900 (732) 636-1982

KR Electronics 2587-125-1

Specifications

es	Notes	Specification	Parameter
		Bandpass	Filter type
		125 MHz	Center Frequency (Fc)
< 1.25 dBa typical	4 dBa max	Insertion Loss (at Fc)	
	30 MHz min	1 dBc Bandwidth	
	75 MHz max	55 dBc Bandwidth	
	50 Ω	Source and Load	

Physical Dimensions



Notes:

- 1. Surface mount package Metal cover open frame
- 2. Dimensions in inches
- 3. Maximum reflow temperature is 230° C for 10 sec maximum.
- 4. If boards are cleaned after installation, units must be completely dried.
- 5. Also available with SMA connectors. See part number 2587-125

 KR Electronics, Inc.
 Web www.krfilters.com

 91 Avenel Street
 Email sales@krfilters.com

 Avenel, NJ 07001
 Phone (732) 636-1900

 Fax (732) 636-1982