
ST5-IP-EN

DC EtherNet/IP Advanced Microstep Drive





Product Features

- Programmable microstepping drive with advanced current control and built-in EtherNet/IP networking
- Full Q programming functionality withQ Programmer™ software
- 744 lines of stored program capability
- Math calculations using analog and digital parameters
- Access all commands and data registers from EtherNet/IP network
- Wide current range 0.1 to 5.0 A/phase (peak of sine) with idle current reduction
- Advanced anti-resonance algorithm
- Torque ripple smoothing
- Microstepping and Microstep Emulation
- 8 digital inputs, 4 digital outputs, optically isolated
- 2 analog inputs, +/-10 volt range
- Fast 10/100 Ethernet for programming and communications
- Also supports Ethernet UDP & TCP communication protocols



Description

The ST5-IP-EN stepper drive is a DC-powered microstepping drive for controlling two-phase, bipolar step motors. It offers advanced current control and a sophisticated 3rd generation anti-resonance algorithm that electronically dampens motor and system resonances to improve motor smoothness and usable torque over a wide speed range. The drive also employs electronic torque ripple smoothing and microstep emulation to greatly reduce motor noise and vibration. The drive must be powered from 24-48 VDC and can output up to 5.0 A/phase (peak-of-sine) to the step motor. Over-voltage, over-temperature and over-current protection features prevent damage while running in adverse conditions. The drive is complemented by a specifically matched set of NEMA 11 through NEMA 23 frame stepper motors (see Related and Recommended products below).

The ST5-IP-EN incorporates EtherNet/IP network communications, the widely used industrial protocol for manufacturing automation applications. With EtherNet/IP users can control, configure and query the drive using an open, standards-based, industrial Ethernet connection at speeds up to 100 MBits/sec. The ST-IP drives run all of the same control modes as ST-Q drives, with the addition that all drive features can be accessed over EtherNet/IP, including more than 100 commands and 130 registers for controlling motion, I/O, configuration, polling, math, register manipulation, and Q programming.

For connecting to external devices such as control signals, incremental encoders, limit switches, proximity or photoelectric sensors, PLC I/O, lamps, and other devices, the drive comes with 8 digital inputs, 4 digital outputs, and 2 single-ended analog inputs (analog inputs can be wired together as 1 differential analog input). Adjustable digital filters are present on the digital inputs for enhanced reliability in noisy environments.

In addition to EtherNet/IP the drive supports Ethernet TCP and UDP protocols for sending commands from Applied Motion's proprietary Serial Command Language (SCL). The same 10/100 Mbit Ethernet port on the drive is also used for configuring and programming the drive using the <u>ST Configurator</u> and <u>Q Programmer</u> software applications, respectively.


All ST drives are CE approved and RoHS compliant.


Specifications


Model Number:	ST5-IP-EN			
Part Number:	5000-183			
Supply Voltage:	24-48 VDC			
Supply Voltage Type:	DC			
Control Modes:	Streaming Commands Analog Positioning Encoder Following Q Programming EtherNet/IP			
Output Current:	0.1-5.0 A/phase			
Communication Ports:	Ethernet EtherNet/IP			
Encoder Feedback:	No			
Step Resolution:	Full Half			
	Microstepping Microstep Emulation			
Idle Current Reduction:	0-90%			
Setup Method:	Software setup			
Digital Inputs:	8			
Digital Outputs:	4			
Analog Inputs:	1 differential or 2 single-ended			
Dimensions:	5.0 x 3.0 x 1.75 inches			
Weight:	10.4 oz			
Operating Temperature 0-70 °C Range:				
Ambient Temperature Range:	0-55 °C			
Ambient Humidity:	90% max, non-condensing			
Status LEDs:	1 red, 1 green			
Circuit Protection:	Short circuit Over-voltage Under-voltage Over-temp			

Torque Curves












HT17




HT23 24 VDC p



HT24



HT24



Software

Software:

SCL Utility

ST Configurator™


Downloads

Manuals:	ST_IP_QuickSetup_920-0048C.pdf Host Command Reference Rev I.pdf ST5-10-QSi_Hardware Manual_920-0004F.pdf			
Datasheet:	http://s3.amazonaws.com/applied-motion-pdf/ST5-IP-EN.pdf			
Family Datasheet:	ST_Datasheet_925-0007.pdf EtherNet-IP-White-Paper_920-0050.pdf EIP_EDS_FILES.zip			
2D Drawing:	ST5_10 Dimensions.pdf ST_T_simple_3D.pdf			
3D Drawing:	ST5 10-Q Si C SIMPLE.igs			
Speed-Torque Curves:	ST_speed-torque.pdf			
Agency Approvals:	ST-Q-Si-C-IP_CE_DOC.pdf			
Application Notes:	APPN0024_AOIs-for-RSLogix5000.zip APPN0023_MicroLogix-to-EtherNet-IP-drive.zip APPN0022_CompactLogix-to-EtherNet-IP-drive.zip APPN0021_5V-Keepalive-Circuit.pdf APPN0016_Simple-25-pin-mating-connections.pdf			

Pricing

	ST5-IP-EN Part No. 5000-183
1pc.	\$607.00
25pc.	\$522.02
50pc.	\$455.25
100pc.	Request a Quote for 100+ piece pricing.

Mechanical Outline



Products in the Series EtherNet/IP Products

Number 💠	Supply Voltage 💠	Control Modes	Output Current 💠	Communication Ports 💠	Encoder Feedback 💠	1pc. 💠
	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	NA	Ethernet, EtherNet/IP	Yes	\$575.00
	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	No	\$551.00
	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	NA	Ethernet, EtherNet/IP	Yes	\$585.00
	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	NA	Ethernet, EtherNet/IP	Yes	\$595.00
	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	Yes	\$525.00
	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	No	\$450.00
	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	Yes	\$535.00
	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	No	\$460.00
	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	Yes	\$626.00
0-IP-EE	24-80 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-10.0 A/Phase	Ethernet, EtherNet/IP	Yes	\$710.00
0-IP-EN	24-80 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-10.0 A/Phase	Ethernet, EtherNet/IP	No	\$659.00
<u>5-IP-EE</u>	24-48 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-5.0 A/Phase	Ethernet, EtherNet/IP	Yes	\$655.00
<u>5-IP-EN</u>	24-48 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-5.0 A/Phase	Ethernet, EtherNet/IP	No	\$607.00
5-IP-E120	94-135 VAC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.5-5.0 A/Phase	Ethernet, EtherNet/IP	Yes	\$710.00
5-IP-E220	94-265 VAC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.5-2.55 A/Phase	Ethernet, EtherNet/IP	Yes	\$710.00
<u>5-IP-N120</u>	94-135 VAC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.5-5.0 A/Phase	Ethernet, EtherNet/IP	No	\$659.00
<u>5-IP-N220</u>	94-265 VAC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.5-2.55 A/Phase	Ethernet, EtherNet/IP	No	\$659.00
<u>7-IP-EE</u>	24-80 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	NA	\$597.00
:3-IP-E120	108-132 VAC	Streaming Commands, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	NA	\$710.00
3-IP-E220	108-242 VAC	Streaming Commands, Q Programming, EtherNet/IP	NA	Ethernet, EtherNet/IP	NA	\$710.00

Products in the Series ST Stepper Drives

Number 💠	Supply Voltage 💠	Control Modes	Output Current 💠	Communication Ports 💠	Encoder Feedback 💠	1pc. ‡
0-C-CE	24-80 VDC	CANopen	0.1-10.0 A/Phase	RS-232, CANopen	Yes	\$682.00
0-C-CN	24-80 VDC	CANopen	0.1-10.0 A/Phase	RS-232, CANopen	No	\$631.00
0-IP-EE	24-80 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-10.0 A/Phase	Ethernet, EtherNet/IP	Yes	\$710.00
0-IP-EN	24-80 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-10.0 A/Phase	Ethernet, EtherNet/IP	No	\$659.00
10-Plus	24-80 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	0.1-10.0 A/Phase	RS-232	No	\$440.00
10-Q-EE	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming	0.1-10.0 A/Phase	Ethernet	Yes	\$726.00
0-Q-EN	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming	0.1-10.0 A/Phase	Ethernet	No	\$660.00
<u>0-Q-NE</u>	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Velocity Control, Modbus	0.1-10.0 A/Phase	RS-232	Yes	\$580.00
<u> 0-Q-NF</u>	24-80 VDC	Step & Direction, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Velocity Control, Modbus	0.1-10.0 A/Phase	RS-232	Yes	\$557.00
<u>0-Q-NN</u>	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	0.1-10.0 A/Phase	RS-232	No	\$515.00
<u>0-Q-RE</u>	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	0.1-10.0 A/Phase	RS-232, RS-485	Yes	\$690.00
<u>0-Q-RN</u>	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	0.1-10.0 A/Phase	RS-232, RS-485	No	\$630.00
<u>T10-S</u>	24-80 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, SiNet Hub Compatible	0.1-10.0 A/Phase	RS-232	No	\$405.00
0-Si-NE	24-80 VDC	Si Programming	0.1-10.0 A/Phase	RS-232	Yes	\$630.00
0-Si-NF	24-80 VDC	Step & Direction, Streaming Commands, Analog Positioning, Encoder Following, Si Programming, Q Programming, SiNet Hub Compatible, Velocity Control	0.1-10.0 A/Phase	RS-232	Yes	\$636.00
0-Si-NN	24-80 VDC	Si Programming	0.1-10.0 A/Phase	RS-232	No	\$580.00
5-C-CE	24-48 VDC	CANopen	0.1-5.0 A/Phase	RS-232, CANopen	Yes	\$585.00
5-C-CN	24-48 VDC	CANopen	0.1-5.0 A/Phase	RS-232, CANopen	No	\$541.00
5-IP-EE	24-48 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-5.0 A/Phase	Ethernet, EtherNet/IP	Yes	\$655.00
5-IP-EN	24-48 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	0.1-5.0 A/Phase	Ethernet, EtherNet/IP	No	\$607.00
5-Plus	24-48 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	0.1-5.0 A/Phase	RS-232	No	\$346.00
5-Q-EE	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming	0.1-5.0 A/Phase	Ethernet	Yes	\$614.00
<u>5-Q-EN</u>	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming	0.1-5.0 A/Phase	Ethernet	No	\$564.00
<u>5-Q-NE</u>	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	0.1-5.0 A/Phase	RS-232	Yes	\$540.00
		Step & Direction, Streaming Commands,				

Number 💠	Supply Voltage 💠	Analog Positioning, Encoder Following, Q Control Modes Frigramming, SiNet Hub Compatible,	Oùtput Cûrrentse‡	Communication Ports 💠	Encoder Feedback 💠	\$580.0 0
		Velocity Control, Modbus				
<u>5-Q-NN</u>	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	0.1-5.0 A/Phase	RS-232	No	\$467.00
<u>5-Q-RE</u>	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	0.1-5.0 A/Phase	RS-232, RS-485	Yes	\$625.00
<u>5-Q-RN</u>	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	0.1-5.0 A/Phase	RS-232, RS-485	No	\$570.00
<u>3T5-S</u>	24-48 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, SiNet Hub Compatible	0.1-5.0 A/Phase	RS-232	No	\$302.00
5-Si-NE	24-48 VDC	Si Programming	0.1-5.0 A/Phase	RS-232	Yes	\$579.00
5-Si-NF	24-48 VDC	Step & Direction, Streaming Commands, Analog Positioning, Encoder Following, Si Programming, Q Programming, SiNet Hub Compatible, Velocity Control	0.1-5.0 A/Phase	RS-232	Yes	\$606.00
5-Si-NN	24-48 VDC	Si Programming	0.1-5.0 A/Phase	RS-232	No	\$490.00