



Central Semiconductor Corp.

www.centralsemi.com

DESCRIPTION:

The CENTRAL SEMICONDUCTOR MPS650, MPS750 series devices are complementary silicon transistors designed for general purpose amplifier and switching applications requiring high gain at high collector current.

MARKING: FULL PART NUMBER

MAXIMUM RATINGS: (T _A =25°C unless otherwise	e noted) SYMBOL	MPS650 MPS750	MPS651 MPS751	UNITS
Collector-Base Voltage	V _{CBO}	60	80	V
Collector-Emitter Voltage	V _{CEO}	40	60	V
Emitter-Base Voltage	V _{EBO}	5.	0	V
Continuous Collector Current	IC	2.	0	А
Power Dissipation	PD	62	25	mW
Power Dissipation (T _C =25°C)	PD	1.	5	W
Operating and Storage Junction Temperature	T _J , T _{stg}	-65 to	+150	°C
Thermal Resistance	Θ_{JA}	20	00	°C/W
Thermal Resistance	Θ^{JC}	83	.3	°C/W


ELECTRICA	L CHARACTERISTICS: (T _A =25°C)		650 6750	MPS MPS		
SYMBOL	TEST CONDITIONS	MIN	MAX	MIN	MAX	UNITS
I _{CBO}	V _{CB} =60V	-	100	-	-	nA
I _{CBO}	V _{CB} =80V	-	-	-	100	nA
I _{EBO}	V _{EB} =4.0V	-	100	-	100	nA
BVCBO	Ι _C =100μΑ	60	-	80	-	V
BVCEO	I _C =10mA	40	-	60	-	V
BVEBO	Ι _Ε =10μΑ	5.0	-	5.0	-	V
V _{CE(SAT)}	I _C =1.0A, I _B =100mA	-	0.3	-	0.3	V
VCE(SAT)	I _C =2.0A, I _B =200mA	-	0.5	-	0.5	V
V _{BE(SAT)}	I _C =1.0A, I _B =100mA	-	1.2	-	1.2	V
V _{BE(ON)}	V _{CE} =2.0V, I _C =1.0A	-	1.0	-	1.0	V
h _{FE}	V _{CE} =2.0V, I _C =50mA	75	-	75	-	
h _{FE}	V _{CE} =2.0V, I _C =500mA	75	-	75	-	
h _{FE}	V _{CE} =2.0V, I _C =1.0A	75	-	75	-	
h _{FE}	V _{CE} =2.0V, I _C =2.0A	40	-	40	-	
f _T	V_{CE} =5.0V, I _C =50mA, f=100MHz	75	-	75	-	MHz

R1 (2-December 2014)



MPS650 MPS651 NPN MPS750 MPS751 **PNP**

COMPLEMENTARY SILICON TRANSISTORS



DIMENSIONS							
	INCHES		MILLIMETERS				
SYMBOL	MIN	MAX	MIN	MAX			
A (DIA)	0.175	0.205	4.45	5.21			
В	0.170	0.210	4.32	5.33			
С	0.500	-	12.70	-			
D	0.016	0.022	0.41	0.56			
E	0.100		2.54				
F	0.050		1.27				
G	0.125	0.165	3.18	4.19			
Н	0.080	0.105	2.03	2.67			
	0.015		0.38				

TO-92 (REV: R1)


LEAD CODE: 1) Emitter 2) Base

3) Collector

MARKING: FULL PART NUMBER

TYPICAL ELECTRICAL CHARACTERISTICS

R1




R1 (2-December 2014)

www.centralsemi.com









NPN TYPICAL ELECTRICAL CHARACTERISTICS

www.centralsemi.com







PNP TYPICAL ELECTRICAL CHARACTERISTICS

www.centralsemi.com

R1 (2-December 2014)

MPS650 MPS651 NPN MPS750 MPS751 PNP



COMPLEMENTARY SILICON TRANSISTORS

SERVICES

- · Bonded Inventory
- Custom Electrical Screening
- Custom Electrical Characteristic Curves
- SPICE Models
- Custom Packaging
- Package Base Options
- Custom Device Development/Multi Discrete Modules (MDM[™])
- · Bare Die Available for Hybrid Applications

LIMITATIONS AND DAMAGES DISCLAIMER: In no event shall Central be liable for any collateral, indirect, punitive, incidental, consequential, or exemplary damages in connection with or arising out of a purchase order or contract or the use of products provided hereunder, regardless of whether Central has been advised of the possibility of such damages. Excluded damages shall include, but not be restricted to: cost of removal or reinstallation, rework, ancillary costs to the procurement of substitute products, loss of profits, loss of savings, loss of use, loss of data, or business interruption. No claim, suit, or action shall be brought against Central more than two (2) years after the related cause of action has occurred.

In no event shall Central's aggregate liability from any warranty, indemnity, or other obligation arising out of or in connection with a purchase order or contract, or any use of any Central product provided hereunder, exceed the total amount paid to Central for the specific products sold under a purchase order or contract with respect to which losses or damages are claimed. The existence of more than one (1) claim against the specific products sold to Buyer under a purchase order or contract shall not enlarge or extend this limit.

Buyer understands and agrees that the foregoing liability limitations are essential elements of a purchase order or contract and that in the absence of such limitations, the material and economic terms of the purchase order or contract would be substantially different.

R1 (2-December 2014)

www.centralsemi.com