

# NIM-S26A

Intel® Fortville XL710 PCI-Express 10G SFP+ 4 Ports Module



## Features

- PCI-Express Host Interfaces
- 10G SFP+ Fiber Port x 4



## Network Appliance Options

- **FWS-8500**  
Network Appliance, Intel® Coletto Creek 8925, 8 NIM Slots, 2U, 650W Redundant

## Ordering Information

- **NIM-S26A**  
Intel® Fortville XL710 PCI-Express 10G SFP+ 4 Ports Module

## Specifications

Main Specification	
Product Name	NIM-S26A
Form Factor	10G Fiber Module
Main Chipset	Intel® XL710 Ethernet Controller x 1
Bypass	—
Host Interface	PCI-Express [x8]
LAN Port	SFP+ 10 GbE Connector x 4
Indicator	LED x 4 for Active/Link
Qualification	CE/FCC Class A
Operation Temp.	32°F ~ 104°F (0°C ~ 40°C)
Dimension	5.71" x 3.03" (145mm x 77mm)

# NIM-S13A

Intel® i350-AM4 PCI-Express 1G SFP 8 Ports Module



## Features

- PCI-Express Host Interfaces
- 10/100/1000Base-TX Fiber SFP x 8



## Network Appliance Options

- **FWS-8500**  
Network Appliance, Intel® Coletto Creek 8925, 8 NIM Slots, 2U, 650W Redundant

## Ordering Information

- **NIM-S13A**  
Intel® i350-AM4 PCI-Express 1G SFP 8 Ports Module

## Specifications

Main Specification	
Product Name	NIM-S13A
Form Factor	1G LAN Module
Main Chipset	Intel® i350-AM4 Ethernet Controller x 2 (Co-lay 82580)
Bypass	—
Host Interface	PCI-Express [x8]
LAN Port	SFP 1 GbE Connector x 8
Indicator	—
Qualification	CE/FCC Class A
Operation Temp.	32°F ~ 104°F (0°C ~ 40°C)
Dimension	5.71" x 3.03" (145mm x 77mm)