



ES8AP-ES8JP

Surface Mount Superfast Rectifiers

Features

- ◆ Low profile package
- ◆ Ideal for automated placement
- ◆ Glass passivated chip junction
- ◆ High forward surge capability
- ◆ Super fast reverse recovery time

Mechanical Data

Case: SMP Molded plastic body

Terminals: Plated leads solderable per MIL-STD-750, Method 2026

High temperature soldering guaranteed: 260°C/10 seconds

Polarity: Cathode line denotes the cathode end

Mounting Position: Any



SMP

Maximum Ratings & Electrical Characteristics

Ratings at TA = 25°C unless otherwise specified

Characteristic	Symbol	ES8AP	ES8BP	ES8DP	ES8FP	ES8GP	ES8JP	Units
Peak repetitive reverse voltage	VRRM	50	100	200	300	400	600	V
RMS reverse voltage	VRMS	35	70	140	210	280	420	V
DC blocking voltage	VDC	50	100	200	300	400	600	V
Maximum average forward output current	IF(AV)	8						A
Peak forward surge current, 8.3ms single half-sine-wave, @TJ = 25°C	IFSM	200						A
Rating for fusing (t<8.3ms)	I2t	166.0						A2sec
Maximum instantaneous forward voltage @ 8A	VF	0.95			1.3		1.7	V
Maximum reverse recovery time	Trr	35						nS
Maximum Reverse current Rated VR	IR	@TA = 25°C						μ A
		@TA = 125°C						
Operating junction temperature range	TJ	- 55 ---- + 150						°C
Storage temperature range	TSTG	- 55 ---- + 150						°C



ES8AP-ES8JP

Surface Mount Superfast Rectifiers

Ratings and Characteristic Curves ($T_A=25^\circ\text{C}$ unless otherwise noted)

Fig.1-Forward Current Derating Curve




Fig.2- Surge Current Derating Curve




Fig.3- Typical Forward Voltage Characteristic





Fig.4- Typical Reverse Characteristic






ES8AP-ES8JP


Surface Mount Superfast Rectifiers

Package Outline Dimensions(unit:mm)

SMP



Mounting Pad Layout(unit:mm)



Dim	Millimeters
A	5.40
B	6.40
C	1.25
D	1.70
E	4.00

Ordering Information

Part No.	Marking	Package	Shipping
ES8AP	ES8AP	SMP	3000PCS /Tape&Reel
ES8BP	ES8BP	SMP	3000PCS /Tape&Reel
ES8DP	ES8DP	SMP	3000PCS /Tape&Reel
ES8FP	ES8FP	SMP	3000PCS /Tape&Reel
ES8GP	ES8GP	SMP	3000PCS /Tape&Reel
ES8JP	ES8JP	SMP	3000PCS /Tape&Reel

